Epidemiology & Infection

VOLUME 128, 2002

SENIOR EDITOR
Professor N. Noah

EDITORS
Dr M. Bennett
Professor K. A. V. Cartwright
Dr C. Fairley
Professor K. Morgan
Dr C. W. Hedberg
Dr T. L. Pitt
Dr D. J. Platt
Dr R. L. Salmon
Dr H. Watanabe
Dr T. Wreghitt

MANAGING EDITOR
Professor P. Morgan-Capner

EDITORIAL BOARD
R. M. Anderson
N. Chanter
C. P. Farrington
N. P. French
D. J. Hampson
S. A. Howell
T. J. Humphrey
A. P. Kendal
J. B. Kurtz
D. H. Lloyd
T. J. Marrie
E. Miller
P. P. Mortimer
S. Rankin
M. D. Smith
E. J. Threlfall
M. J. Woodward

CAMBRIDGE
UNIVERSITY PRESS

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge, United Kingdom

CAMBRIDGE UNIVERSITY PRESS
The Edinburgh Building, Cambridge CB2 2RU, UK
40 West 20th Street, New York 10011–4211, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
Ruiz de Alarcón 13, 28014 Madrid, Spain
Dock House, The Waterfront, Capetown 8001, South Africa

© Cambridge University Press 2002

Printed in the United Kingdom at the University Press, Cambridge

CONTENTS

No. 1 (February 2002)

An outbreak of multidrug-resistant *Salmonella enterica* subsp. *enterica* serotype Typhimurium, DTL104L, linked to dried anchovy in Singapore
Ling, M. L., Goh, K. T., Wange, G. C. Y., Neo, K. S. and Chua, T. 1

Increase in meningococcal disease associated with the emergence of a novel ST-11 variant of serogroup C *Neisseria meningitidis* in Victoria, Australia, 1999–2000
Tribe, D. E., Zaia, A. M., Griffith, J. M., Robinson, P. M., Li, H. Y., Taylor, K. N. and Hogg, G. G. 7

Molecular subtyping of *Staphylococcus aureus* from an outbreak associated with a food handler
Wei, H.-L. and Chiou, C.-S. 15

Non-invasive pneumococcal disease and antimicrobial resistance: vaccine implications
Kyaw, M. H., Clarke, S., Jones, I. G. and Campbell, H. 21

Changing epidemiology of human leptospirosis in New Zealand
Thornley, C. N., Baker, M. G., Weinstein, P. and Maas, E. W. 29

Predictors of tuberculin reactivity among prospective Vietnamese migrants: the effect of smoking
Plant, A. J., Watkins, R. E., Gushulak, B., O'Rouke, T., Jones, W., Streeton, J. and Sang, D. 37

Protecting the vaccinating population in the face of a measles epidemic: assessing the impact of adjusted vaccination schedules
Van den Hof, S., Wallinga, J., Widdowson, M. A. and Conyn van Spaendonck, M. A. E. 47

Seroprevalence of parvovirus B19 in urban Chilean children and young adults, 1990 and 1996
Abarca, K., Cohen, B. J. and Vial, P. A. 59

Tattooing and risk for transfusion-transmitted diseases: The role of the type, number and design of the tattoos, and the conditions in which they were performed
de Nishioka, S. A., Gyorkos, T. W., Joseph, L., Collet, J. P. and Maclean, J. D. 63

Risk factors in HIV-associated diarrhoeal disease: the role of drinking water, medication and immune status
Eisenberg, J. N. S., Wade, T. J., Charles, S., Vu, M., Hubbard, A., Wright, C. C., Levy, D., Jensen, P. and Colford, J. M. 73

Modelling death rates for carriers of hepatitis B
Dickinson, J. A., Wun, Y. T. and Wong, S. L. 83

A survey of Nipah virus infection among various risk groups in Singapore
Chan, K. P., Rollin, P. E., Ksiakek, T. G., Leo, Y. S., Goh, K. T., Paton, N. I., Sng, E. H. and Ling, A. E. 93

Serological divergence of Dobrava and Saaremaa hantaviruses: evidence for two distinct serotypes
Brus Sjolander, K., Golovljova, I., Vasilenko, V., Plyusnin, A. and Lundkvist, A. 99

A listeriosis patient infected with two different *Listeria monocytogenes* strains
Tham, W., Aldén, J., Ericsson, H., Helnersson, S., Malmodin, B., Nyberg, O., Pettersson, A., Unnerstad, H. and Danielsson-Tham, M. L. 105

Prevalence of *Leptospira* spp. in various species of small mammals caught in an inner-city area in Switzerland
Adler, H., Vonstein, S., Deplazes, P., Steiger, C. and Frei, R. 107

No. 2 (April 2002)

Public health implications of campylobacter outbreaks in England and Wales, 1995–9: epidemiological and microbiological investigations
Frost, J. A., Gillespie, I. A. and O'Brien, S. J. 111

Phage typing and PFGE pattern analysis as tools for epidemiological surveillance of *Salmonella enterica* serovar Bovismorbificans infections
Liesegang, A., Davos, D., Balzer, J. C., Rabsch, W., Prager, R., Lightfoot, D., Siitonen, A., Claus, H. and Tschäpe, H. 119

Incidence and molecular analysis of *Vibrio cholerae* associated with cholera outbreak subsequent to the super cyclone in Orissa, India
Chhotray, G. P., Pal, B. B., Khuntia, H. K., Chowdhury, N. R., Chakraborty, S., Yamasaki, S., Ramamurthy, T., Takeda, Y., Bhattacharya, S. K. and Balakrish Nair, G. 131
Incidence of invasive pneumococcal disease in Scotland, 1988–99
Kyaw, M. H., Clarke, S., Jones, I. G. and Campbell, H. 139
Prevalence of moderate penicillin resistant invasive *Neisseria meningitidis* infection in Scotland, 1994–9
Kyaw, M. H., Bramley, J. C., Clarke, S., Christie, P., Jones, I. G. and Campbell, H. 149
Multilocous sequence typing of *Neisseria meningitidis* directly from cerebrospinal fluid
Kriz, P., Kalmusova, J. and Felsberg, J. 157
Serological diagnosis of pertussis: evaluation of IgA against whole cell and specific *Bordetella pertussis* antigens as markers of recent infection
Poynten, I. M., Hanlon, M., Irwig, L. and Gilbert, G. L. 161
A method for adjusting gender bias in neonatal tetanus reports in Egypt 1991
Silvers, M. J. and Haddy, R. 169
The molecular epidemiology of tuberculosis in inner London
Hayward, A. C., Goss, S., Drobniewski, F., Saunders, N., Shaw, R. J., Goyal, M., Swan, A., Uttley, A., Pozniak, A., Grace-Parker, J. and Watson, J. N. 175
Detection of delayed vaccinations: a new approach to visualize vaccine uptake
Laubereau, B., Hermann, M., Schmitt, H. J., Weil, J. and von Boven, M. 193
Quantification of transmission in one-to-one experiments
Velthuis, A. G. J., de Jong, M. C. M., de Bree, J., Nodelijk, G. and van Boven, M. 193
Clinical effectiveness of conventional influenza vaccination in asthmatic children
Smits, A. J., Hak, E., Stalman, W. A. B., van Essen, G. A., Hoes, A. W. and Verheij, Th. J. M. 205
Assessment of the factors associated with flavivirus seroprevalence in a population in Southern Vietnam
Bartley, L. M., Carabin, H., Vinh Chau, N., Ho, V., Luxemburger, C., Hien, T. T., Garnett, G. P. and Farrar, J. 213
Prevalence of and risk factors for HIV infection in blood donors and various population subgroups in Ethiopia
Sentjens, R. E. J. H., Sisay, Y., Vrielink, H., Kebede, D., Adèr, H. J., Leckie, G. and Reesink, H. W. 221
Vaccination against hepatitis B in low endemic countries
Kretzschmar, M., de Wit, G. A., Smits, L. J. M. and van de Laar, M. J. W. 229
Antibodies in crevicular fluid: an epidemiological tool for investigation of waterborne disease
Gammie, A., Morris, R. and Wyn-Jones, A. P. 245
Tula hantavirus in Belgium
Heyman, P., Klingström, J., de Jaegere, F., Leclercq, G., Rozenfeld, F., Escutenaire, S., Vandenvelde, C., Zizi, M., Plyusnin, A. and Lundkvist, Å. 251
Studies on the epidemiology of bluetongue virus in China
Kirkland, P. D., Zhang, N., Hawkes, R. A., Li, Z., Zhang, F., Davis, R. J., Sanders, D. A., Li, H., Zhang, K., Ben, J., He, G. F., Hornitzky, C. L. and Hunt, N. T. 257
Transmission patterns of African horse sickness and equine encephalosis viruses in South African donkeys
Lord, C. C., Venter, G. J., Mellor, P. S., Paweska, J. T. and Woolhouse, M. E. J. 265
Isotype specific ELISAs to detect antibodies against swine vesicular disease virus and their use in epidemiology
Dekker, A., van Hemert-Kluitenberg, F., Baars, C. and Terpstra, C. 277
Rate of inter-herd transmission of classical swine fever virus by different types of contact during the 1997–8 epidemic in The Netherlands
Stegeman, J. A., Elbers, A. R. W., Bouma, A. and de Jong, M. C. M. 285
Within-and between-pen transmission of Classical Swine Fever Virus: a new method to estimate the basic reproduction ratio from transmission experiments
Klinkenberg, D., de Bree, J. Laevens, H. and de Jong, M. C. M. 293
Natural aerosol transmission of foot-and-mouth disease virus to pigs: minimal infectious dose for strain O_1 Lausanne
Alexandersen, S., Brotherhood, I. and Donaldson, A. I. 301
Further studies to quantify the dose of natural aerosols of foot-and-mouth disease virus for pigs
Alexandersen, S. and Donaldson, A. I. 313

Dose-response relationships for foot and mouth disease in cattle and sheep
French, N. P., Kelly, L., Jones, R. and Clancy, D. 325
IS*200* fingerprinting of *Salmonella enterica* serotype Abortusovis strains isolated in Iran
Nikbakht, G. H., Raffatellu, M., Uzzau, S., Tadjbakhsh, H. and Rubino, S. 333
Pyrazinamide resistance associated with pncA gene mutation in *Mycobacterium tuberculosis* in Japan
Endoh, T., Yagihashi, A., Uehara, N., Kobayashi, D., Tsuji, N., Nakamura, M., Hayashi, S., Fujii, N. and Watanabe, N. 337
Long term immunity in African cattle vaccinated with a recombinant capripox-rinderpest virus vaccine
Ngichabe, C. K., Wamwayi, H. M., Ndungu, E. K., Mirangi, P. K., Bostock, C. J., Black, D. N. and Barrett, T. 343
Book Reviews
Meningococcal Vaccines: Methods and Protocols 351
ABC of AIDS 351
Public Health Systems and the Emerging Infections – Assessing the Capabilities of the Public and Private Sectors 351
New Challenges to Health: The Threat of Virus Infection 352
Essentials of Antimicrobial Pharmacology 353
Erratum
Epidemiol. Infect. **127** (2001) 221–7
N. Hiruta, T. Murase and N. Okamura 355

No. 3 (June 2002)

Comparison between human and animal isolates of Shiga toxin-producing *Escherichia coli* O157 from Australia
Fegan, N. and Desmarchelier, P. 357
An outbreak of gastroenteritis in Osaka, Japan due to *Escherichia coli* serogroup O166:H15 that had a coding gene for enteroaggregative *E. coli* heat-stable enterotoxin 1 (EAST1)
Zhou, Z., Ogasawara, J., Nishikawa, Y., Seto, Y., Helander, A., Hase, A., Iritani, N., Nakamura, H., Arikawa, K., Kai, A., Kamata, Y., Hoski, H. and Haruki, K. 363
Molecular epidemiology of *Salmonella* Typhimurium isolates from human sporadic and outbreak cases
Heir, E., Lindstedt, B. A., Nygard, I., Vardund, T., Hasseltvedt, V. and Kapperud, G. 373
The seasonal distribution of campylobacter infection in nine European countries and New Zealand
Nylen, G., Dunstant, F., Palmer, S. R., Andersson, Y., Bager, F., Cowden, J., Feierl, G., Galloway, Y., Kapperud, G., Megraud, F., Molbak, K., Petersen, L. R. and Ruutu, P. 383
***Streptococcus pyrogenes prtFII*, but not *sfbI*, *sfbII* or *fbp54*, is represented more frequently among invasive-disease isolates of tropical Australia**
Delvecchio, A., Currie, B. J., McArthur, J. D., Walker, M. J. and Sriprakash, K. S. 391
Distribution of *emm* genotypes and superantigen genes of *Streptococcus pyogenes* isolated in Japan, 1994–9
Murakami, J., Kawabata, S., Terao, Y., Kikuchi, K., Totsuka, K., Tamaru, A., Katsukawa, C., Moriya, K., Nakagawa, I., Morisaki, I. and Hamada, S. 397
***Listeria monocytogenes* meningitis, serotype distribution and patient characteristics in The Netherlands, 1976–95**
Aouaj, Y., Spanjaard, L., van Leeuwen, N. and Dankert, J. 405
The burden of *Helicobacter pylori* infection in England and Wales
Vyse, A. J., Gay, N. J., Hesketh, L. M., Andrews, N. J., Marshall, B., Thomas, H. I. J., Morgan-Capner, P. and Miller, E. 411
Case-control studies of sporadic cryptosporidiosis in Melbourne and Adelaide, Australia
Robertson, B., Sinclair, M. I., Forbes, A. B., Veitch, M., Kirk, M., Cunliffe, D., Willis, J. and Fairley, C. F. 419
A community survey of self-reported gastroenteritis undertaken during an outbreak of cryptosporidiosis strongly associated with drinking water after much press interest
Hunter, P. R. and Syed, Q. 433
Chronic *Strongyloides stercoralis* infection in Laotian immigrants and refugees 7–20 years after resettlement in Australia
De Silver, S., Saykao, P., Kelly, H., MacIntyre, C. R., Ryan, N., Leydon, J. and Biggs, B. A. 439

Influenza and pneuomococcal vaccine distribution and use in primary care and hospital settings in Scotland: coverage, practice and policies
Kyaw, M. H., Wayne, B., Chalmers, J., Jones, I. G. and Campbell, H. 445
The changing epidemiological pattern of hepatitis A in England and Wales
Morris, M. C., Gay, N. J., Hesketh, L. M., Morgan-Capner, P. and Miller, E. 457
Epidemiology of hepatitis B infection among the Nicobarese – a mongoloid tribe of the Andaman and Nicobar Islands, India
Murhekar, M. V., Murkekar, K. M., Arankalle, V. A. and Sehgal, S. C. 465
Prevalence of hepatitis C among injectors in Scotland 1989–2000: declining trends among young injectors halt in the late 1990s
Hutchinson, S. J., McIntyre, P. G., Molyneaux, P., Cameron, S., Burns, S., Taylor, A. and Goldberg, D. J. 473
Assessment of varicella underreporting in Italy
Ciofi Degli Atti, M. L., Rota, M. C., Mandolini, D., Bella, A., Gabutti, G., Crovari, P. and Salmaso, S. 479
Human papillomaviruses in Amerindian women from Brazilian Amazonia
Brito, E. B., Martins, S. J. and Menezes, R. C. 485
Modelling equine influenza 1: a stochastic model of within-yard epidemics
Glass, K., Wood, J. L. N., Mumford, J. A., Jesset, D. and Grenfell, B. T. 491
Genealogical analyses of rabies virus strains from Brazil based on N gene alleles
Heinemann, M. B., Fernandes-Matioli, F. M. C., Cortez, A., Soares, R. M., Sakamoto, S. M., Bernardi, F., Ito, F. H., Madeira, A. M. B. N. and Richtzenhain, L. J. 503
Comparative epidemiology of scrapie outbreaks in individual sheep flocks
Redman, C. A., Coen, P. G., Matthews, L., Lewis, R. M., Dingwall, W. S., Foster, J. D., Chase-Topping, M. E., Hunter, N. and Woolhouse, M. E. J. 513
Prevalence of *Salmonella* Typhimurium infection in Norwegian hedgehog populations associated with two human disease outbreaks
Handeland, K., Refsum, T., Johansen, B. S., Holstad, G., Knutsen, G., Solberg, I., Schulze, J. and Kapperud, G. 523
The impact of sporadic campylobacter and salmonella infection on health and health related behaviour: a case control study
Smith, G. E., Lewis, M., Paterson, S., Gray, J., Gunn, K., Farrington, F. and Croft, P. 529
Prevalence of the genes for shigella enterotoxins 1 and 2 among clinical isolates of shigella in Israel
Yavzori, M., Cohen, D. and Orr, N. 533